## NOV 1 7 2003

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the Application of:	)	
GIROUARD et al.	)	
Serial No.: 10/635,930	) Group Art Unit: 36	11
Filing Date: August 7, 2003	) Examiner: Unknow	n
Title: VEHICLE AND ADJUSTABLE STEERING SHAFT THEREFORE	) )	

November 17, 2003

## INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents Post Office Box 1450 Alexandria, VA 22313-1450

Sir:

Attached are six (6) PTO-1449 sheets listing forty (40) foreign references. Some of the foreign references are not written in English. While the undersigned does not read or understand Japanese, German or French, the undersigned provides the following statements of relevance based upon (1) abstracts of the references in English, or (2) the drawings in the references where English abstracts are not available:

- (1) JP 61-32196 illustrates the construction of what appears to be a three-wheeled vehicle with two front wheels and a single rear wheel.
- (2) JP 1-27910 illustrates what appears to be a three-wheeled vehicle that is designed to lean into turns.
- (3) JP 4-19072 illustrates what appears to be the frame construction for a three or four-wheeled vehicle.
- (4) JP 8-25501 illustrates the front suspension of a vehicle where the steering force is reduced by steering a front wheel via a first and second steering axis having a handle

- bar on the upper end, which is rotatably supported in a nearly vertical direction with respect to a suitable part of a frame.
- (5) JP 7-81651 describes a two-wheeled vehicle where a body is arranged to sense a specific maneuvering motion by arranging a sub-frame in a main frame so as to swing freely. This enables a rider to sit on the sub-frame and to steer either one of a front wheel and a rear wheel. This is accomplished by an interlocking of the sub-frame through a swinging motion.
- (6) JP 5-43553 describes what appears to be a three-wheeled vehicle where touching of feet to the ground is facilitated while the rider is sitting on the seat. This is accomplished by a method wherein a foot touching space is formed at least near a side part of the foot rest surface.
- (7) JP 2864293 describes what appears to be a three-wheeled vehicle designed to corner smoothly by moving the car body inward in the corning direction and inclining the car body at the time of steering.
- (8) JP 63-25996 illustrates what appears to be the rear swing arm for a vehicle with two rear wheels.
- (9) JP 5-7236 describes what appears to be a three-wheeled vehicle where an occupied space for a muffler is reduced by positioning an exhaust silencer between an engine and a steering axle. The exhaust silencer acts a tail pipe so as to cause it to be opened beneath a seat. This design appears to be for a small vehicle consisting of two front wheels for steering and one rear wheel for driving. The wheels include low-pressure tires.
- (10) JP 6-455 describes a vehicle with enhanced turnability. The vehicle has at least a pair of left and right wheels arranged such that the vehicle automatically tilts toward the center of turn, in accordance with the steering operation of the vehicle, so that a control feeling similar to a motor-cycle may be obtained.

- (11) JP 2-27700 illustrates what appears to be a rear swing arm construction for a vehicle. The undersigned points out that the abstract provided for this reference does not appear to correspond to the drawings.
- (12) JP 4-16792 illustrates what appears to be a linkage construction for a rear swing arm of a vehicle. The undersigned points out that the abstract obtained for this reference does not appear to correspond to the drawings.
- (13) JP 59-114183 illustrates what appears to be a frame construction for a three-wheeled vehicle with two front wheels and a single rear wheel.
- (14) JP 59-149874 illustrates what appears to be a three-wheeled vehicle with two front wheels and a single rear wheel.
- (15) JP 59-149879 illustrates what appears to be a construction for a three-wheeled vehicle with two front wheels and a single rear wheel.
- (16) JP 61-178281 illustrates what appears to be a construction for a rear suspension for a vehicle, in particular a shock absorber for a rear wheel of a cycle car.
- (17) JP 61-169382 illustrates what appears to be a construction for a three-wheeled vehicle with two front wheels and a single rear wheel. The title of the reference indicates that the reference relates to a steering gear for a tricycle.
- (18) JP 63-38032 describes a three-wheeled vehicle with a construction effecting sufficient maneuverability and traveling properties of the vehicle when traveling on rugged ground by transmitting power to front wheels and to a rear wheel. The motorized three wheeler appears to have two front wheels and one rear wheel.
- (19) JP 1-229787 describes a three-wheeled vehicle with improved traveling stability. The support member of cross-arm support shafts, which are linked together via a longitudinal arm, are linked to a linking member, which is linked to a rear wheel suspension.
- (20) JP 2-254085 describes a three-wheeled vehicle with improved turning performance.

  Turning performance is improved by a method wherein the wheels on both sides of the vehicle are vertically rockably supported by means of link mechanisms (bank

- arm) on both sides extending in the direction of the width of a car. The inner end part of the link mechanisms on both sides of the vehicle are supported by the car body through a cushioning device.
- (21) JP 41-15969 illustrates what appears to be the construction of a three-wheeled vehicle with two front wheels and a single rear wheel.
- (22) JP 5-43554 illustrates what appears to be the construction of a three-wheeled vehicle with two front wheels and a single rear wheel.
- least one wheel at one end of the frame and a hinged parallelogram frame mounted on the other end of the vehicle frame. The frame has a pair of spaced wheels mounted on opposite sides thereof. The parallelogram frame pivots laterally in first or second opposite lateral directions when the frame leans laterally away from a position of equilibrium in the first or second lateral directions. A sensing device is connected to the vehicle frame and a power source is connected to the sensing means and parallelogram frame whereby initial leaning movement of the parallelogram frame in one direction (caused by conditions of unequilibrium) will cause the sensing device and power source to pivot the parallelogram frame in the opposite direction thereby to laterally pivot the vehicle frame to a position of equilibrium. The sensing device may be a lever pivotally connected to the vehicle frame and the power source may include a pair of extensible and retractable cylinder units for connecting opposite ends of the sensor lever to opposite sides of the parallelogram frame.
- (24) JP 59-195421 illustrates a three-wheeled vehicle where fluctuations in the center of gravity due to change in an amount of fuel are suppressed. Thereby, characteristics of the vehicle are stabilized. A fuel tank is located at a position of the center of gravity of a vehicle or in the vicinity thereof. A fuel tank T is located on a reinforcing frame 3 for reinforcing a central portion of a main frame 1 and at a front seat Sf. The front seat Sf is arranged longitudinally near a rear seat Sr. Thus, the fuel tank T is arranged at a position of a center of gravity of a completed three-wheeled automotive vehicle

- or in the vicinity thereof, and accordingly it is possible to eliminate fluctuation in the center of gravity of the vehicle due to change in an amount of fuel in the fuel tank T and thereby to stabilize characteristics of the vehicle.
- (25)JP 59-195477 illustrates a three-wheeled vehicle with an entirely miniaturized and lightweight chassis. The chassis for the tricycle is formed without impairing the characteristics of the vehicle, by making the intermediate section of the chassis wider than the front and rear sections thereof, and as well by providing foot rests in the left and right sides of the intermediate section. A floor plate 2 is laid on a main frame 1 composed of longitudinal beams 1a, 1a which are spaced from each other and extend from the front section to the rear section of a tricycle chassis. The mainframe 1 also includes cross-beams 1b, 1b. The longitudinal beams 1a, 1a in one pair are outwardly curved in their middle sections, and rectangular reinforcing frames 3 are connected to the longitudinal beams 1a, 1a inside of the curved sections. With this arrangement, the longitudinally intermediate section of the main frame 1 has a width which is larger than that of the front and rear sections thereof. In this wide intermediate section, left and right foot rest sections 17, 17 are provided between the longitudinal beams 1a, 1a and between the reinforcing frames 3. The floor plate 2 positioned in these foot rests 17, 17 is formed as a foot rest surface 2a.
- (26) JP 60-116572 illustrates a three-wheeled vehicle with one driving wheel in the rear. It is possible to facilitate handling of the vehicle by having established steering wheels at the right and left front of the vehicle. Two front wheels 35 are installed in lower part front of car body frame 10, 40, 42. A rear wheel 36 is also provided.
- (27) JP 59-29466 illustrates a three-wheeled vehicle where the tilting of the car body is returned to equilibrium state by means of an equilibrium state sensor and an actuator, and its controls.
- (28) JP 53-26044 illustrates a tricycle having two spaced front wheels and a single rear wheel connected to a frame structure. The front wheels are connected to the frame by a longitudinally extending shaft. A double wishbone suspension comprised of a pair

of upper arms and a pair of lower arms, connected by vertical links at their outer ends, join the front wheels to the frame and longitudinal shaft. The upper arms are pivotally connected to the frame while the lower arms are pivotally and separately connected to the longitudinal shaft by a shock absorbing cushion.

- (29) JP 58-3872 illustrates a motor bike with two front wheel 10 connected to frame 32 by a parallelogram-type wheel-centering assembly.
- (30) DE 1 063 473 describes a three-wheeled tricycle.
- (31) JP 61-113579 illustrates a motorized tricycle.
- (32) JP 61-11833 illustrates what appears to be a steering device for a motorized tricycle.
- (33) JP 53-26044 illustrates what appears to be a steering arrangement for a motorized tricycle.
- (34) The advertisement entitled "Wunder Wheels" appears to describe a kit to convert a snowmobile to a three-wheeled vehicle.
- (35) The article entitled "L'object du delire" from Option Moto, dated September, 2002 describes a three-wheeled vehicle made by adding two front wheels to a Yamaha® V-max® motorcycle.

This IDS is intended to be in full compliance with the rules, but should the Examiner find any part of its required content to have been omitted, <u>prompt</u> notice to that effect is earnestly solicited, along with additional time under Rule 97(f), to enable Applicant to comply fully.

Should a first action on the merits have been issued on the same day or before this Information Disclosure Statement is filed, please accept this Information Disclosure Statement under Rule 97(c) and charge the requisite Rule 17(p) fee to our Deposit Account No. <u>03-3975</u>, under Order No. <u>086171/0305449</u> and proceed to consider this Information Disclosure Statement.

Consideration of the foregoing and enclosures plus the return of a copy of the enclosed PTO-1449 Form, page 1, with the Examiner's initials in the left column per MPEP 609 are earnestly solicited along with an early action on the merits.

Respectfully submitted,

PILLSBURY WINTHROP LLP

2. No. 35,914

Tel. No. (703) 905-2110

Fax No. (703) 905-2500

JDK/smw Post Office Box 10500 McLean, VA 22102 (703) 905-2000

To: U.S. De (PW FORM	partn PAT-	nent of Commerce 1449) rademark Office	(2	MOV 1	7 2000	PFICE VOS	•	Dkt. No.							7-US3	
INFORMATION DISCLOSURE STATEMENT									<b></b>	449 ouard et al.	<del></del>	<u> </u>				
BY APPL			(E 51/	A NEIV	HADE			Applicant	. Gii	odalu et al.		·				
								Appln. No	n.: 10	0/635,930				<u></u>		
								<del> </del>		ugust 7, 2003					<del></del>	
Date: Nove	mbe	r 17. 2003	Page	1	of	4	]	Examiner:			1	up Aı	rt Uni	it: 3	<del></del> 611	
A CONTRACT OF PERSONS NO.	****************	OCUMENTS		<u></u> 3094 }	(),									duski	A SONE S	
Examiner'	( 183 y	Document	F. S. L. S. C.	Date	(Berekasi yan 19	Name	41. 1.47.42.2	CONTRACTOR	2.76/	Control States and Transfer and	Clas		Sub		Filing	477-41
S		Number		MM/Y		ł	lame	of First Inv	ento	or)			Class		Date	
Initials*										<b>'</b> .	<u> </u>				(if appropr	riate)
	AR															
	BR															
	CR															
	DR							<u></u>			ļ	$\perp$				
	ER									<u> </u>						
FOREIGN	PATI	ENT DOCUMEN	TS	7	is <b>e</b> r :	Mr. 44 17						Engli			Translati	ion
		Document	Date		Count	try	Inver	ntor Name				Abstr	ract		Readily Available	<b>.</b>
·		Number	MM/Y	YYY												
					,		,					Endo	osed	No	Enclose	No
	FR	61-32196	03/19	80	Japar	1	Sato	u .				<u> </u>		x		$oldsymbol{ol}}}}}}}}}}}}}}}}}$
	GR	1-27910	04/19	83	Japar	<u> </u>	Sato	u et al.				Ŀ		x		<u> </u>
	HR	4-19072	04/19	86	Japar	<u> </u>	Mizu	ta				<u> </u>		х		
	IR	8-25501	08/19	89	Japar	1	Kuro	kawa et al.	.			х			L	$oldsymbol{ol}}}}}}}}}}}}}}}}}}$
	JR	7-81651	03/19	95	Japar	1	Oda	et al.	_			х			<u> </u>	<u> </u>
	KR	5-43553	04/19	84	Japar	<u> </u>	Aoi					×				_
·	LR	2864293	08/19	92	Japar	<u> </u>	Fujita	<del>3</del>				х				L
	MR	63-25996	10/19	83	Japar	1	Hand	da	_		•	ļ		X	ļ ·	<u> </u>
		5-7236	06/19		Japar		_	mori	_			х			<u> </u>	igspace
	OR	6-455	10/19		Japar	1	Fujita	et al.	4			x			<b></b>	╄
		2-27700	02/19		Japar		<u> </u>					—	$\longrightarrow$	х	<u> </u>	↓
		4-16792	02/19		Japar							<u> </u>	$\dashv$	X .	ļ. <del></del>	<del> </del>
		59-114183	07/19		Japar			ıkami	$\dashv$			<b> </b>	$\neg$	x	ļ	
· ·		59-149874	08/19		Japar		Uran		-			<del> </del>	$\overline{}$	X		┼
		59-149879	08/19		Japar		Uran		$\dashv$		<del></del>	<del> </del>	$\dashv$	X		╄
		61-178281	08/19		Japar		Ikeda		$\dashv$			<del> </del>	$-\!\!\!\!-\!\!\!\!\!-$	<u> </u>		┼
		61-169382	07/19		Japar			amoto				<del> </del> -		<u>x</u> _	<u> </u>	╀
		63-38032	02/19		Japar		<del>                                     </del>	sumigoshi		· · · · · · · · · · · · · · · · · · ·		×	$-\!\!\!\!-\!\!\!\!\!+$			<del> </del>
		1-229787	09/19		Japar		Ması					X			<u> </u>	$\vdash$
		2-254085	10/19		Japar		Ichid	a	$\dashv$			<u>x</u>				╁
		41-15969	09/19		Japar				$\dashv$			├─		<u>X</u>	<u> </u>	╁
y and the state of		5-43554	04/19		Japar		Aoi	#. <b>5</b>				<del></del>	<del></del>	<u>x</u>		一
OTHER!(I	cludi	ng in this order A	uthor,	Hitle;	Reriod	ical Name	, Date	e, <u>Kertinen</u>	t Pa	ges, etc.)		<u> </u>				╀
3.44 A A A			<b>W</b> C	, A).	#V:200	i dia de	i n	je s <b>i</b> e si			477					1
	BBR											<del> </del>				+
	CCR	L	<u>:</u>					T_				<u> </u>				<u></u>
Examiner								Date Cons							<del></del>	
*EXAMINE		Initial if citation co ce and not conside										w line	) thro	ugh	citation i	IT

FORM PTO-1449 (modified) To: U.S. Department of Commerce (PW FORM PAT-1449) Patent and Trademark Office								Atty. Dkt. No.	M#				Client			
1		N DISCLOSU	RE ST	ATEN	MENT			Applicant		)5449 ouard et		7-US3				
BY APPL	ICA	N I						Appln. No	o.: 10	/635.930	)					
								Filing Date		<del></del>						
Date: N	oven	nber 17, 2003	Page	2	of	4	7	Examiner				oup	Art Ur	nit:	3611	
				<del></del>												
Examiner's	s Number			Date	<b>/</b>	Name		of First Inv			Cla		Sub Class		Filing Date (if approp	
	DDR						-									
	EER				" <u>-</u>					· · · · · · · · · · · · · · · · · · ·		-	1			
	FFR															
,	GGF							•								-
	HHR															
	IIR											٠.				
FOREIGN	PATI	ENT DOCUMEN	ITS			ja ja	<b>x.</b> :	1 - 20 <del>-</del> 310 -	Mil 7			En	glish		Transla	
		Document Number	Date MM/YYYY		Coun	ıntry lı		ntor Name				Ab	Abstract		Readily Available	
											•	En	closed	No	Enclose	∍ No
	JJR	2 180 202 A	03/19	87	Great Britain		Roha	an					•			
	KKR	2 142 591 A	01/19	85	Great	Britain	Hart	et al.	_			1		<u> </u>		
<u> </u>	LLR	2 134 860 A	08/19	84 .	Great	Britain	McC	ormick								┸
	MMF	2 111 442 A	07/19	83	Great	Britain	McC	aw							↓	
	NNR	2 045 705 A ·	11/19	80	Great	Great Britain Europe		amoto et a						_	ļ	$\bot$
	OOR	1 070 658 A1 -	01/20	01	Europ			alter			<del></del> .				<u> </u>	$\bot$
	PPR	31 28 371 A1	09/19	82	Germ	any	Town	nsend					x		-	
	QQR	59-195421	11/19	84	Japan		Kom	uro				1	X .			
	RRR	59-195477	11/19	84	Japar	Japan Ko Great Britain Ba		uro .				$\perp$	X	L		┸
	SSR	2 093 417 A	09/19	82	Great			еу				1			<u> </u>	1
	TTR	60-116572	06/19	85	Japar	1	Kana	mori					x			$\perp$
:	UUR	59-29466	07/19	84	Japar	1	Rei S	Seodoa				$\perp$	x	<u> </u>		┸
	VVR	53-26044	03/19	78	Japar	)	Sato	et al.					x	<u> </u>		
:	ww	58-3872	01/19	83	Japar	1	Uoru	fugangu					X	<u> </u>		
	XXR	1 063 473	08/19	59	Germ	any	Trau	twein						x		
	YYR	61-113579	05/19	86	Japar	)	Miya	koshi						x		
	ZZR	61-11833	04/19	86	Japar	)								x		
		53-26044	03/19		Japar		<u> </u>							x		
OTHER (In	cludi	ng in this order:/	Author,	Title;	Period	ical Nam	e, Dat	e, Pertinen	t Pag	es, etc.)	* * *					
		www.nevco.com/												L		$\int$
	ccc	World of Motion	ı, Walt	Disne	y Worl	d Epcot C	Center,	The Lean	Mach	nine (und	ated)					
	DDD															
Examiner								Date Cons	sidere	<del></del>						

\*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

To: U.S. Department of Commerce (PW FORM PAT-1449) Patent and Trademark Office						Dkt. No.									
			\	Wro :	PANEM	ARIT			205440	<u>,34 (g),</u>	<u>, i edistirit</u>	SEST 38.5% -	4.20	7-US3	<u>-120, 21</u>
		·		. ===	AFAIT			Analisan	305449			JRP-U	120	-033	
\$		N DISCLOSUF	RESIA	AIEN	/ENI			Applican	t: Girouard et	aı.					
BY APF	LICA	<b>V</b> I						Apple No	10/625 03			<del></del> -			
								<del></del>	o.: 10/635,93						
			_		٦.		ר	F	te: August 7,	200					
Date:	Noven	ber 17, 2003	Page	3	of	4	1 - 5 483 8	<u> Examine</u>	r: Unknown	en-tú:	Grou	ıp Art U	nit: 3	3611	38,527(3)
U.S. PA	TENT C	OCUMENTS	V.(.)	T			u Shi			9,926		1			
Examine	er'	Document		Date		Name	•				Class	1	_	Filing	
S		Number		MM/	YYYY	(Family N	Name	of First In	ventor)			Clas	5	Date (if appropr	riate)
Initials*		<u>                                      </u>		<b> </b>		<u> </u>			-		<u> </u>			(,, орргорг	
	EEE			<del> </del>		<del> </del>								<u> </u>	
	FFF		MATCHES.	, 1000 (NO	***********		6.77	(** A. T. T. T. T. T. T.	// T. 10.11 ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) (		1011230			Turneledi	
FOREIG	N PAT	ENT DOCUMEN			T		T I			(i)		English Abstract	,	Translation Readily	on
1		Document	Date	222	Coun	itry	Inve	ntor Name	;					Available	<b>;</b>
		Number	MM/Y	* * * *								Cooloood	I	Enclose	T <sub>N</sub>
					+	··	$\vdash$		· · · · · · · · · · · · · · · · · · ·			Enclosed	INO	Enclose	INO
	GGC		ļ		+		┼							<del>                                     </del>	╀
1000 May 1000 Odd 1000 Odd	<u>  HHF</u>	<u> </u>	***************************************	OCT CAR AND		CANADA CONTRACTOR OF THE CONTR	r see een			ar cal			<del> </del>	<u> </u> T	<del>!</del>
OTHER		ing in this order A					-							4.	1
		http://www.ftconn							99)				<u> </u>	<del> </del>	₩
		http://www.ftconn						une, 1999)					<del> </del>	<u> </u>	⊢
		http://www.artcen								****			-	<u> </u>	╀
ļ		http://www.artcen											<del> </del>	<del> </del>	╁
		http://www.artcen	~				ıı (prin	ted March,	2000)					<u> </u>	┼
	<del></del>	http://www.vmax.	-										<del> </del>	1.	<del>                                     </del>
		http://www.vmax.							2000)	· · ·			-	<del> </del>	╁
	-	http://www.sunag http://www.sunag													<del> </del>
		http://www.sunag											<u> </u>	<u> </u>	$\vdash$
		"DirtWheels" Mag							iai y, 2000)				<del>                                     </del>		$\vdash$
		http://www.snown							November 2002	2)				<del> </del>	1
		http://www3.symp			· · · · · · · · · · · · · · · · · · ·					<del>-,</del> _					<b>†</b>
		http://www.motore												<u> </u>	1
<b></b>		http://www.motore							+/00&id=5958	k ind	ex=			<u> </u>	
		(April, 2000)				en nut			·				<u> </u>	ļ	
	XXX	http://www.motore	cyclene	ws.co	m/NEW	/S/news.as	p?pag	ge=Latest+N	News (printed F	ebrua	ary,				
	- XX	(2000) http://www.ftconn	oot oon	o/mto/	ko/rido	html (prints	od lun	1000						ļ	1
	_	Vectrix Corporation													$\vdash$
<b></b>		Electric & Hybrid							v (2002)				$\vdash$		$t^-$
		Wunder Wheels			nology	incination.	a, 7 a.	Tradi Troviov	, (2002)						$\vdash$
		Minitta 50 Portfol													T
		Roundup Cycle V			y 1998					_					Γ
		ATV Sport, (Nove													
		Grinnal Scorpion													
		Yamaha 1200 V-	<del></del>		Notor, (	September	, 2002								Γ
Examine					<u>``</u> `			Date Cor	nsidered:					<u></u>	
*EXAMI		Initial if citation co	onsid r	ed, wh	ether o	r not citation	on is in			§ 609	). Drav	w line thr	ough	citation	if
		ce and not conside	ered. In	clud	copy of	this form v	vith ne	ext commun	ication to Applic	ant.					

FORM PTO-1449 (modified) To: U.S. Department of Commerce (PW FORM PAT-1449) Patent and Trademark Office  Patent and Trademark Office								Atty. Dkt. No.		305449		Client		7-US3	
INFORM <i>!</i> BY APPL		N DISCLOSUR IT	EST	ATEN	IENI			Applicant	i. G	irouard et al	•				
J, ,		•						Appln. No	).: ´	10/635,930					
							_	Filing Dat	e: /	August 7, 20	03				
Date: N	ovem	ber 17, 2003	Page	4_	of	4		Examiner	: Uı	nknown	Gro	up Art U	nit: :	3611	
U.S. PATE	NT D	OCUMENTS							VI.						
Examiner' s Initials*		Document Number	Date MM/\	Date Name MM/YYYY (Family Name of				/ento	or)	Clas	s Sub Clas	s	Filing Date  (if appropriate		
-	ннн														
	IIIIR													<u> </u>	
FOREIGN PATENT DOCUMEN  Document  Number	TS: Date MM/Y	// / YYY	Country Inv		İnve	ntor Name				English Abstract		Translati Readily Available			
		·										Enclosed	No	Enclose	No
	JJJJI												$oldsymbol{ol}}}}}}}}}}}}}}}}}$		上
	KKKI											<u> </u>		<u> </u>	<u> </u>
OTHÉR (Ir	rélüdi	ng in this order A	uthor,	Title,	Perioc	lical Nam	ne, Dat	e, Pertiner	nt Pa	iges, etc.)			1		
	LLLL	http://www.ctv.es/	USERS	S/softe	ch/mot	os/Trike/E	MW_C	1.jpg (printe	ed S	eptember, 20	02)				<u> </u>
	мми	http://www.rqriley.	.com/in	nages/ <sub>[</sub>	032-nw	ıl.jpg (prin	ted Sep	tember, 20	02)	·			<u> </u>	ļ	
	-	http://www.chinaju							002)			ļ	<u> </u>	<u> </u>	1
		http://www.rariley											+-		-
	_	http://www.rqriley										ļ	-	<del>                                     </del>	+-
	_	http://www.rqriley							02)				+-	-	╁
		http://www.rqriley	-						- 20	02)		<u> </u>	+	<del> </del>	+
		http://www.rqriley http://www.geociti									2001		+	<del>-</del>	+
<u> </u>	_	http://www.geocii									,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		$\dagger$	†	╁╌
		http://freespace.v											†		1
		http://www.gme.u								· · · · · · · · · · · · · · · · · · ·				1.	
		http://www.gme.u								002)					
	· · · · ·	http://www.go-t-re													
	ZZZZ	http://www.go-t-re	x.com/	tr/in/po	urinde	x_02.jpg (	undate	d)							
	AAA	http://www.corbin	.com/c	orbinm	otors/n	nerlinroad	ster.sht	ml (printed	Sept	tember, 2002	)	ļ			_
	_	http://www.corbin								<u> </u>			ـــــــــــــــــــــــــــــــــــــ	<del></del>	_
	CCC	http://wwwmesse	rschmi	t.co.uk	/main.l	htm (printe	ed Sept	ember, 200	2)				<del> </del>	<u> </u>	1
	DDD	Magazine, "Cycle	World	," Febr	uary, 2	003, pg. 3	30	<u> </u>					<del> </del>	<del> </del>	$\perp$
	EEE									<del> </del>			_		-
	FFF	<u> </u>				<del></del>						<del>                                     </del>	+	+	<del> </del>
	GGG				<u> </u>			<del></del>			<del></del>	<u> </u>	<u></u>	<u> </u>	<u> </u>
Examiner								Date Cor	nside	ered:					

\*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.